




COLORS

LEGEND - GREEN (REF)
 BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	24	3/8	5/8	9	3E	4 1/2	15E	7 1/4	10 1/8	3 1/2	5 7/8	10 5/8	1 1/8

* - SEE APPENDIX FOR ARROW DESIGN
 REMOVE ARROW WHEN APPROPRIATE AND MOUNT A
 21X15 I-33L, OR I-34 BELOW THE D4-1.



COLORS

- LEGEND - WHITE (REF)
- SYMBOL - WHITE & GREEN (REF)
- BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	36	3/4	3 1/2	12	5D	12 1/16	7 1/16	1 7/8

* SEE APPENDIX FOR SYMBOL DESIGN




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
138	48	2	9	12E	8	10E	56 ³ / ₁₆	25 ¹¹ / ₁₆	32 ³ / ₁₆	47 ³ / ₁₆	6

D5-1 CODE
138"x48"
D5-1A CODE
138"x48"
D5-1B CODE
138"x48"




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L
72	84	2	8 3/4	12E	7 7/8	26 3/4	22 7/16	24 3/4	9 1/4	9

* - SEE APPENDIX FOR ARROW DESIGN



D5-6



D5-6A

COLORS


LEGEND - BLACK (NON-REF)
BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
66	48	3/4	1 1/4	7	6C	6	4C	5 3/8	1 1/4	5	10 1/2	4 5/8

P	Q	R	S	T	U
12 1/2	24 1/2	26 3/4	11 1/6	4 7/8	2 1/4

* - SEE APPENDIX FOR ARROW DESIGN




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	18	1/2	3 1/2	4C	3	10 9/16	5 5/8	1 1/2



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	24	1/2	4	5D	2 ⁵ / ₁₆	3/8	6D	25 ³ / ₈	22 ¹ / ₂	26 ¹ / ₄	1 ¹ / ₂

MOUNTED ON SUPPORT OF D5-1 OR D5-1B ONLY




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	30	1/2	3	3D	2 1/2	2 5/16	3/8	4D	7 3/8	6 5/16	9	6 1/4	9 5/8	1 1/2

SIGN SHALL NOT BE USED IN GORE AREA
 FOR USE WITHIN REST AREA / WELCOME CENTER ONLY




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
12	18	1/2	2 1/4	3C	2 13/16	4 3/16	1 1/2




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	6 3/16	1 5/16	3 3/8	1 1/2




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	5	1 1/2



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	7 1/4	1 1/2



COLORS

LEGEND - BLACK (NON-REF)
 BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
30	24	3/8	5/8	2 1/4	3C	I	1/2	1 1/2	2C	1 3/4	2 1/2

N	P	Q	R	S	T	U
5 5/8	11 1/4	9 11/16	8 3/8	11 7/8	2 3/4	1 1/8



COLORS

LEGEND - BLACK (NON-REF)
 BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	3/8	5/8	3	3C	1 5/8	1/2	2	2C	2 3/8	3/8	5 9/16	9	7 5/8	7 1/2	8 1/4	1 1/8



COLORS

LEGEND - BLACK (NON-REF)
 BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	3/8	5/8	4	3C	3 1/2	9 1/16	7 9/16	8 13/16	1 1/8



D6-2

D6-2A

D6-2B

COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
96	72	2	9	12D	10	10D	27	39	21 1/2	27 15/16	12	8D	9

* - REDUCE SPACING 25%

D6-2 CODE
96"x72"
D6-2A CODE
96"x72"
D6-2B CODE
96"x72"



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
84	2	8 3/4	12C	7 7/8	26 3/4	22 1/2	32 1/4	9 1/4	9

* - SEE APPENDIX FOR ARROW DETAIL



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	48	3/4	6	8E	6E	6	18	24 1/2	14	21 1/2	2 1/4
78	60	2	8	10E	8E	7	22 3/8	30 5/8	19	28 5/8	6
96	72	2	9	12E	10E	9	26 7/8	36 3/4	23 1/2		9

78" X 60" AND 96" X 72" - EXTRUDED PANEL
 96" X 72" - 1 MILE ONLY

D8-1 CODE	
60"x48"	
78"x60"	
96"x72"	



COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
84	66	1	8	8E	6	5	6E	5	2	5	6E	7
108	84	2	9	10E	8	8	8E	7	2	6	8E	8
120	96	3	11	12E	9	9	10E	8	3	6	8E	8

P	Q	R	S	T
17 7/8	24 1/2	28 1/4	33 7/16	3
22 3/8	30 5/8	37 3/4	44 9/16	9
26 7/8	36 3/4	47 3/16	44 9/16	12

108" X 84" AND 120" X 96" - EXTRUDED PANEL,
WITH 48" X 10" COVER PANEL.

USE 37" X 8" COVER PANEL FOR 84" X 66" SIGN.

* - SEE APPENDIX FOR TYPICAL CHANNEL MOUNTING OF COVER PANEL

D8-2 CODE	
84"x66"	
108"x84"	
120"x96"	



COLORS


LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
48	42	3/4	6	6E	4	4	10 1/2	5 1/2	13 1/2	18 1/2	5 1/4	2 1/4
66	60	2	8 1/2	8E	7	6 1/2	14	8	18	24 1/2	7	6
84	72	2	10	10E	8	7 3/8	16 5/8	10	23 3/8	30 5/8	8 5/16	9

* - SEE APPENDIX FOR ARROW DESIGN
 66" X 60" AND 84" X 72" - EXTRUDED PANEL

D8-3 CODE	
48"x42"	
66"x60"	
84"x72"	




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	1/2	4	16	6 3/8	3 3/16	8 3/8	1 1/2
30	5/8	5	20	7 15/16	4	10 7/16	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A




COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F
24	1/2	2	20	8	1 1/2
30	5/8	2 1/2	25	10	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.

* - SEE APPENDIX FOR SYMBOL DESIGN



D9-3AB

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
20		5 3/4	4	5	5 1/4	8 3/4	8 1/4	
24	1/2	8	4	5	7	8 3/4	8 1/4	1 1/2
30	5/8	10	5	6 1/4	8 3/4	10 15/16	10 5/16	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-3AB 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER
 * - SEE APPENDIX FOR SYMBOL DESIGN

D9-3A CODE		D9-3AB CODE	
24"	050913	20"	050917
30"	050915		





COLORS

SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

* - SEE APPENDIX FOR SYMBOL DESIGN
 IN REST AREA NON MOTORIZED USE



D9-7A

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-7A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-7 CODE	D9-7A CODE
24" 050927	20" 050930
30" 050928	



D9-8A

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-8A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-8 CODE	D9-8A CODE
24" 050933	20" 050936
30" 050934	



D9-9A

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-9A 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-9 CODE	D9-9A CODE
24" 1050939	20" 1050942
30" 1050940	



D9-10B

COLORS

SYMBOL & LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
20		7 ⁹ / ₁₆	6	6 ⁷ / ₁₆	1 ¹ / ₂	11	1	2D	2	4 ⁷ / ₈	2 ⁷ / ₈	
24	1/2	7 ⁹ / ₁₆	8	8 ⁷ / ₁₆	2	11	1 ¹ / ₂	3D	2	7 ⁵ / ₁₆	4 ³ / ₁₆	1 ¹ / ₂
30	5/8	9 ⁷ / ₁₆	10	10 ⁹ / ₁₆	2 ³ / ₄	13	1 ³ / ₄	4D	2 ¹ / ₂	9 ³ / ₄	5 ⁹ / ₁₆	1 ⁷ / ₈

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-10B 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-10A CODE	D9-10B CODE
24" 050945	20" 050948
30" 050946	



D9-11B

COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F
20		1	9	6EM	
24	1/2	3	9	6EM	1 1/2
30	5/8	3 3/4	11 1/4	8EM	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.
 D9-11B 20" - DEMOUNTABLE FOR USE WITH E10-1,
 USE 0.040 GAUGE BLANK, NO BORDER

* - SEE APPENDIX FOR SYMBOL DESIGN

D9-11 CODE		D9-11B CODE	
24"		20"	
30"			



COLORS


SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	1/2	3	5 1/2	3EM	3/4	2	18	1 1/2
30	5/8	3 3/4	6 1/16	4EM	3/4	2 3/16	22 1/2	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS
 SYMBOL - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

FOR USE INSIDE REST AREAS

* - SEE APPENDIX FOR SYMBOL DESIGN







COLORS
 LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	1/2	4 3/4	5C	4 1/2	7 13/16	9 5/16	1 1/2
30	5/8	6	6C	6	9 3/8	11 3/16	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A OR M6-4A



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
12	36	48	3/8	1 1/2	2 1/2	1	9	9C	1 5/16	7C	2	1 9/16	4 5/16	3 1/2	3 1/4	3 1/2

* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

** - SEE APPENDIX FOR DETAIL

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS
 ABOUT VERTICAL CENTERLINE



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	1/2	2 3/8	1C	2 3/16	3/8	1 1/16	1 1/2 C	5	2C	1 1/2	4 1/2	2 5/8


Q	R	S	T
1	2 9/16	1 15/16	2 1/8

* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

** - SEE APPENDIX FOR DETAIL

*** - INTERCHANGE NAME

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS
 ABOUT VERTICAL CENTERLINE



SHIELD - NUMERALS & BORDER - WHITE (REF)
OPTICALLY SPACE NUMERALS

COLORS

LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
12	30	42	54	3/8	1 1/2	2	3C	5	9C	3	4	7C

P	Q	R	S	T	U	V
6	1 5/16	1 13/16	4 7/8	5 1/8	2 1/2 D	7 1/2




* - N, S, E, OR W AS APPROPRIATE

OPTICALLY LOCATE NUMERALS ABOUT VERTICAL CENTERLINE

WV DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING DIVISION

D10-1F CODE
12"x30" 051001
D10-2F CODE
12"x42" 051004
D10-3F CODE
12"x54" 051007

D10F



SHIELD - NUMERALS & BORDER - WHITE (REF)
OPTICALLY SPACE NUMERALS

COLORS
LEGEND - WHITE (REF)
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	18	1/2	2	2C	1 5/16	3/8	3	5	VAR	4 1/2	4 1/4	1 1/2	2D	6 3/16

* - N, S, E, OR W AS APPROPRIATE
** EXIT NUMBER



COLORS

SYMBOL & LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)


DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	18	1/2	1 1/2	7	3 1/2	3C	5 1/2	9 1/2	1 1/2
30	24	1/2	1 7/8	8 3/4	4 3/8	4C	6 7/8	12 1/2	1 1/2

USE ARROWS 1-31, 1-32, 1-33 OR 1-34

USE M4-13 FOR TRAILBLAZING

* - SEE APPENDIX FOR SYMBOL DESIGN




COLORS

LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	4 1/16	11 3/8	1 1/2

FOR USE WITH D11-1 ONLY



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	10 1/2	5 1/8	1 1/2

FOR USE WITH D11-1 ONLY



COLOR

LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
72	60	1	5 1/2	6D	4 1/2	1	5	27 15/16	19 3/8	23 7/8	8 5/16	3

FOR EXPRESSWAY USE ONLY



COLORS

SYMBOL & LEGEND - WHITE (REF)
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	36	5/8	2 3/8	3	2 1/2	5 1/4	1	1 1/16	3C	1 3/4	5/8	1 15/16	2C

Q	R	S	T	U	V
2	3	13 1/2	9 15/16	12 3/8	1 7/8

* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL & LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
24	36	1/2	1 3/4	2C	1	17 1/2	2 3/8	1 1/4	1 3/16	1 3/4	10 5/8	5 1/8	4 3/4	15 1/4	1 1/2

* - REDUCE SPACING 25%

** - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

- LEGEND - WHITE (REF)
- FLOWERS - YELLOW (REF)
- BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
30	5/8	2 3/4	3C	2 3/8	5/8	10 1/2	2 1/2	8 3/8	13 7/8	12 1/2	10 5/16	1 7/8

* - SEE APPENDIX FOR SYMBOL DESIGN



D30-1



D30-1L



D30-1R



D30-1A

COLORS

- LEGEND - WHITE (REF)
- CIRCLE - BLUE (REF)
- BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
18	1	5/8	8 3/4	7/8	1 1/2	3/4	2	1 7/8	8	6	3 1/16	1 1/2
24	1	1 3/16	11 5/8	1 3/16	2	1	3	2 1/2	11	8	3 15/16	1 1/2


* - SEE APPENDIX FOR ARROW DESIGN

ARROW MAY BE LEFT, RIGHT, OR 45 DEGREES AND SHALL BE CENTERED ABOUT THE VERTICAL CENTERLINE IN THE SPACE PROVIDED FOR WVDOT APPROVED USE ONLY

WV DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 TRAFFIC ENGINEERING DIVISION

D30-1 CODE	D30-1L CODE
18"	18"
24"	24"
D30-1R CODE	D30-1A CODE
18"	18"
24"	24"

D30-1



COLORS

LEGEND - WHITE (REF)
 BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
90	42	1	6	6	5C	2½	5	1	4C	3	4	6¼	12	31⅞	11⅞

S	T	U	V	W	X
10⅞	34	14	41⅞	37⅞	9⅞

* - SHIELD SUBJECT TO CHANGE BASED ON ROUTE

D40-1 CODE
 90"x42"

D40-1