



## COLORS


LEGEND - GREEN (REF)

BACKGROUND - WHITE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	24	$\frac{3}{8}$	$\frac{5}{8}$	9	3E	$4\frac{1}{2}$	15E	$7\frac{1}{4}$	$10\frac{1}{8}$	$3\frac{1}{2}$	$5\frac{7}{8}$	$10\frac{5}{16}$	$1\frac{1}{8}$

\* - SEE APPENDIX FOR ARROW DESIGN  
 REMOVE ARROW WHEN APPROPRIATE AND MOUNT A  
 21X15 I-33L, OR I-34 BELOW THE D4-1.



#### COLORS

LEGEND - WHITE (REF)  
 SYMBOL - WHITE & GREEN (REF)  
 BACKGROUND - GREEN (REF)

#### DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	36	$\frac{3}{4}$	$3\frac{1}{2}$	12	5D	$12\frac{1}{16}$	$7\frac{1}{16}$	$1\frac{7}{8}$

\* SEE APPENDIX FOR SYMBOL DESIGN




COLORS  
LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
138	48	2	9	12E	8	10E	56 <sup>3</sup> / <sub>16</sub>	25 <sup>1</sup> / <sub>16</sub>	32 <sup>3</sup> / <sub>16</sub>	47 <sup>3</sup> / <sub>16</sub>	6

D5-1 CODE
138"x48"
D5-1A CODE
138"x48"
D5-1B CODE
138"x48"





COLORS  
LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L
72	84	2	8 3/4	12	7 7/8	26 3/4	22 7/16	24 3/4	9 1/4	9

\* - SEE APPENDIX FOR ARROW DESIGN



**D5-6A**

**D5-6**


COLORS  
LEGEND - BLACK (NON-REF)  
BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
66	48	3/4	1 1/4	7	6C	6	4C	5 3/8	1 1/4	5	10 1/2	4 5/8

P	Q	R	S	T	U
12 1/2	24 1/2	26 3/4	11 1/6	4 7/8	2 1/4

\* - SEE APPENDIX FOR ARROW DESIGN




## COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	18	1/2	3 1/2	4C	3	10 9/16	5 5/8	1 1/2



## COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	24	1/2	4	5D	2 5/16	3/8	6D	25 3/8	22 1/2	26 1/4	1 1/2

MOUNTED ON SUPPORT OF D5-1 OR D5-1B ONLY




DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	30	1/2	3	3D	2 1/2	2 5/16	3/8	4D	7 3/8	6 5/16	9	6 1/4	9 5/8	1 1/2

SIGN SHALL NOT BE USED IN GORE AREA  
FOR USE WITHIN REST AREA / WELCOME CENTER ONLY






COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
12	18	1/2	2 1/4	3C	2 13/16	4 3/16	1 1/2




COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	6 3/16	1 5/16	3 3/8	1 1/2




COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	5	1 1/2



COLORS

LEGEND - WHITE (REF)

BACKGROUND - BROWN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
18	12	1/2	1 3/4	2C	1 1/4	4 5/16	1/8	7 1/4	1 1/2



COLORS

LEGEND - BLACK (NON-REF)

BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
30	24	$\frac{3}{8}$	$\frac{5}{8}$	$2\frac{1}{4}$	3C	I	$\frac{1}{2}$	$1\frac{1}{2}$	2C	$1\frac{3}{4}$	$2\frac{1}{2}$

N	P	Q	R	S	T	U
$5\frac{5}{8}$	$11\frac{1}{4}$	$9\frac{11}{16}$	$8\frac{3}{8}$	$11\frac{7}{8}$	$2\frac{3}{4}$	$1\frac{1}{8}$



COLORS  
LEGEND - BLACK (NON-REF)  
BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)																
A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	3/8	5/8	3	3C	1 5/8	1/2	2	2C	2 3/8	3 1/8	5 9/16	9	7 5/8	7 1/2	8 1/4	1 1/8




## COLORS

LEGEND - BLACK (NON-REF)

BACKGROUND - WHITE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	$\frac{3}{8}$	$\frac{5}{8}$	4	3C	$3\frac{1}{2}$	$9\frac{1}{16}$	$7\frac{9}{16}$	$8\frac{13}{16}$	$1\frac{1}{8}$



COLORS  
LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
96	72	2	9	12D	10	10D	27	39	21 1/2	27 15/16	12	8D	9

\* - REDUCE SPACING 25%

D6-2 CODE
96"x72"
D6-2A CODE
96"x72"
D6-2B CODE
96"x72"





COLORS

LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
84	2	8 3/4	12	7 7/8	26 3/4	22 1/2	32 1/4	9 1/4	9

\* - SEE APPENDIX FOR ARROW DETAIL



COLORS

LEGEND - WHITE (REF)  
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M
60	48	3/4	6	8E	6E	6	18	24 1/2	14	21 1/2	2 1/4
78	60	2	8	10E	8E	7	22 3/8	30 5/8	19	28 5/8	6
96	72	2	9	12E	10E	9	26 7/8	36 3/4	23 1/2		9

78" X 60" AND 96" X 72" - EXTRUDED PANEL  
96" X 72" - 1 MILE ONLY



## COLORS

LEGEND - WHITE (REF)  
BACKGROUND - GREEN (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
84	66	1	8	8E	6	5	6E	5	2	5	6E	7
108	84	2	9	10E	8	8	8E	7	2	6	8E	8
120	96	3	11	12E	9	9	10E	8	3	6	8E	8

P	Q	R	S	T
17 <sup>7</sup> / <sub>8</sub>	24 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>4</sub>	33 <sup>7</sup> / <sub>16</sub>	3
22 <sup>3</sup> / <sub>8</sub>	30 <sup>5</sup> / <sub>8</sub>	37 <sup>3</sup> / <sub>4</sub>	44 <sup>9</sup> / <sub>16</sub>	9
26 <sup>7</sup> / <sub>8</sub>	36 <sup>3</sup> / <sub>4</sub>	47 <sup>3</sup> / <sub>16</sub>	44 <sup>9</sup> / <sub>16</sub>	12

108" X 84" AND 120" X 96" - EXTRUDED PANEL,  
WITH 48" X 10" COVER PANEL.

USE 37" X 8" COVER PANEL FOR 84" X 66" SIGN.

\* - SEE APPENDIX FOR TYPICAL CHANNEL MOUNTING OF COVER PANEL



COLORS


LEGEND - WHITE (REF)  
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
48	42	$\frac{3}{4}$	6	6E	4	4	$10\frac{1}{2}$	$5\frac{1}{2}$	$13\frac{1}{2}$	$18\frac{1}{2}$	$5\frac{1}{4}$	$2\frac{1}{4}$
66	60	2	$8\frac{1}{2}$	8E	7	$6\frac{1}{2}$	14	8	18	$24\frac{1}{2}$	7	6
84	72	2	10	10E	8	$7\frac{3}{8}$	$16\frac{5}{8}$	10	$23\frac{3}{8}$	$30\frac{5}{8}$	$8\frac{5}{16}$	9

\* - SEE APPENIDX FOR ARROW DESIGN

66" X 60" AND 84" X 72" - EXTRUDED PANEL




COLORS  
 LEGEND - WHITE (REF)  
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	$\frac{1}{2}$	4	16	$6\frac{3}{8}$	$3\frac{3}{16}$	$8\frac{3}{8}$	$1\frac{1}{2}$
30	$\frac{5}{8}$	5	20	$7\frac{15}{16}$	4	$10\frac{7}{16}$	$1\frac{7}{8}$

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A



COLORS


SYMBOL - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F
24	1/2	2	20	8	1 1/2
30	5/8	2 1/2	25	10	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.

\* - SEE APPENDIX FOR SYMBOL DESIGN

**D9-3AB**


COLORS  
 SYMBOL - WHITE (REF)  
 BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
20		5 <sup>3</sup> / <sub>4</sub>	4	5	5 <sup>1</sup> / <sub>4</sub>	8 <sup>3</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>4</sub>	
24	<sup>1</sup> / <sub>2</sub>	8	4	5	7	8 <sup>3</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>2</sub>
30	<sup>5</sup> / <sub>8</sub>	10	5	6 <sup>1</sup> / <sub>4</sub>	8 <sup>3</sup> / <sub>4</sub>	10 <sup>15</sup> / <sub>16</sub>	10 <sup>5</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>8</sub>

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.  
 D9-3AB 20" - DEMOUNTABLE FOR USE WITH E10-1,  
 USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL - WHITE (REF)



BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

\* - SEE APPENDIX FOR SYMBOL DESIGN  
IN REST AREA NON MOTORIZED USE



**D9-7A**


**COLORS**  
 SYMBOL - WHITE (REF)  
 BACKGROUND - BLUE (REF)

**DIMENSIONS (INCHES)**

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.  
 D9-7A 20" - DEMOUNTABLE FOR USE WITH E10-1,  
 USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN

**D9-8A**


COLORS  
 SYMBOL - WHITE (REF)  
 BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.  
 D9-8A 20" - DEMOUNTABLE FOR USE WITH E10-1,  
 USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN



**D9-9A**


COLORS  
 SYMBOL - WHITE (REF)  
 BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E
20		1	9	
24	1/2	3	9	1 1/2
30	5/8	3 3/4	11 1/4	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.  
 D9-9A 20" - DEMOUNTABLE FOR USE WITH E10-1,  
 USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN

**D9-10B****COLORS**

SYMBOL &amp; LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

**DIMENSIONS (INCHES)**


A	B	C	D	E	F	G	H	J	K	L	M	N
20		7 <sup>9</sup> / <sub>16</sub>	6	6 <sup>7</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>	11	1	2D	2	4 <sup>7</sup> / <sub>8</sub>	2 <sup>7</sup> / <sub>8</sub>	
24	1/2	7 <sup>9</sup> / <sub>16</sub>	8	8 <sup>7</sup> / <sub>16</sub>	2	11	1 <sup>1</sup> / <sub>2</sub>	3D	2	7 <sup>5</sup> / <sub>16</sub>	4 <sup>3</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>2</sub>
30	5/8	9 <sup>7</sup> / <sub>16</sub>	10	10 <sup>9</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	13	1 <sup>3</sup> / <sub>4</sub>	4D	2 <sup>1</sup> / <sub>2</sub>	9 <sup>3</sup> / <sub>4</sub>	5 <sup>9</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>8</sub>

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.

D9-10B 20" - DEMOUNTABLE FOR USE WITH E10-1,

USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN



**D9-11B**


**COLORS**  
 SYMBOL - WHITE (REF)  
 BACKGROUND - BLUE (REF)

**DIMENSIONS (INCHES)**

A	B	C	D	E	F
20		1	9	6EM	
24	1/2	3	9	6EM	1 1/2
30	5/8	3 3/4	11 1/4	8EM	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A.  
 D9-11B 20" - DEMOUNTABLE FOR USE WITH E10-1,  
 USE 0.040 GAUGE BLANK, NO BORDER

\* - SEE APPENDIX FOR SYMBOL DESIGN



## COLORS

SYMBOL - WHITE (REF)


BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
24	1/2	3	5 1/2	3EM	3/4	2	18	1 1/2
30	5/8	3 3/4	6 1/8	4EM	3/4	2 3/16	22 1/2	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A, OR M6-4A

\* - SEE APPENDIX FOR SYMBOL DESIGN



## COLORS

SYMBOL - WHITE (REF)

BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E
18	1/2	1 1/2	15	1 1/2

FOR USE INSIDE REST AREAS

\* - SEE APPENDIX FOR SYMBOL DESIGN



# COLORS

LEGEND - WHITE (REF)


BACKGROUND - BLUE (REF)

# DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H
24	1/2	4 3/4	5C	4 1/2	7 13/16	9 5/16	1 1/2
30	5/8	6	6C	6	9 3/8	11 3/16	1 7/8

USE ARROWS M6-1RA, M6-1LA, M6-3A OR M6-4A





## COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)


## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
12	36	48	$\frac{3}{8}$	$1\frac{1}{2}$	$2\frac{1}{2}$	1	9	9C	$1\frac{5}{16}$	7C	2	$1\frac{9}{16}$	$4\frac{5}{16}$	$3\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{1}{2}$

\* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

\*\* - SEE APPENDIX FOR DETAIL

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS  
ABOUT VERTICAL CENTERLINE



## COLORS

LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	1/2	2 3/8	1C	2 3/16	3/8	1 1/16	1 1/2 C	5	2C	1 1/2	4 1/2	2 5/8


Q	R	S	T
1	2 9/16	1 15/16	2 1/8

\* - D, G, H, L, OR Q AS APPROPRIATE AND OPTICALLY LOCATED

\*\* - SEE APPENDIX FOR DETAIL

\*\*\* - INTERCHANGE NAME

OPTICALLY LOCATE STATE OUTLINE AND NUMERALS  
ABOUT VERTICAL CENTERLINE



COLORS

LEGEND - WHITE (REF)  
BACKGROUND - GREEN (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
12	30	42	54	$\frac{3}{8}$	$1\frac{1}{2}$	2	3C	5	9C	3	4	7C

P	Q	R	S	T	U	V
6	$1\frac{5}{16}$	$1\frac{13}{16}$	$4\frac{7}{8}$	$5\frac{1}{8}$	$2\frac{1}{2}$	$7\frac{1}{2}$




\* - N, S, E, OR W AS APPROPRIATE

OPTICALLY LOCATE NUMERALS ABOUT VERTICAL CENTERLINE

WV DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
TRAFFIC ENGINEERING DIVISION

D10-1F CODE
12"x30"1051001
D10-2F CODE
12"x42"1051004
D10-3F CODE
12"x54"1051007

**D10F**



SHIELD - NUMERALS & BORDER - WHITE (REF)  
OPTICALLY SPACE NUMERALS

COLORS  
LEGEND - WHITE (REF)  
BACKGROUND - GREEN (REF)

#### DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	18	1/2	2	2C	1 5/16	3/8	3	5	VAR	4 1/2	4 1/4	1 1/2	2D	6 3/16

\* - N, S, E, OR W AS APPROPRIATE  
\*\* EXIT NUMBER



## COLORS

SYMBOL &amp; LEGEND - WHITE (REF)

BACKGROUND - GREEN (REF)


## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K
24	18	1/2	1 1/2	7	3 1/2	3C	5 1/2	9 1/2	1 1/2
30	24	1/2	1 7/8	8 3/4	4 3/8	4C	6 7/8	12 1/2	1 1/2

USE ARROWS 1-31, 1-32, 1-33 OR 1-34

USE M4-13 FOR TRAILBLAZING

\* - SEE APPENDIX FOR SYMBOL DESIGN



## COLORS


LEGEND - WHITE (REF)

BACKGROUND - GREEN (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	4 1/16	11 3/8	1 1/2

FOR USE WITH D11-1 ONLY



## COLORS

LEGEND - WHITE (REF)

BACKGROUND - GREEN (REF)

## DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J
30	15	1/2	2	4C	3	10 1/2	5 1/8	1 1/2

FOR USE WITH D11-1 ONLY



COLOR  
LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
72	60	1	5 1/2	6D	4 1/2	1	5	27 15/16	19 3/8	23 7/8	8 5/16	3

FOR EXPRESSWAY USE ONLY





COLORS

SYMBOL & LEGEND - WHITE (REF)  
BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	36	5/8	2 3/8	3	2 1/2	5 1/4	1	1 1/16	3C	1 3/4	5/8	1 5/16	2C

Q	R	S	T	U	V
2	3	13 1/2	9 15/16	12 3/8	1 7/8

\* - SEE APPENDIX FOR SYMBOL DESIGN



COLORS

SYMBOL & LEGEND - WHITE (REF)

BACKGROUND - BLUE (REF)

DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
24	36	1/2	1 3/4	2C	1	17 1/2	2 3/8	1 1/4	1 3/16	1 3/4	10 5/8	5 1/8	4 3/4	15 1/4	1 1/2

\* - REDUCE SPACING 25%

\*\* - SEE APPENDIX FOR SYMBOL DESIGN




### COLORS

LEGEND - WHITE (REF)  
 FLOWERS - YELLOW (REF)  
 BACKGROUND - BROWN (REF)

### DIMENSIONS (INCHES)

A	B	C	D	E	F	G	H	J	K	L	M	N
30	$\frac{5}{8}$	$2\frac{3}{4}$	3C	$2\frac{3}{8}$	$\frac{5}{8}$	$10\frac{1}{2}$	$2\frac{1}{2}$	$8\frac{3}{8}$	$13\frac{7}{8}$	$12\frac{1}{2}$	$10\frac{5}{16}$	$1\frac{7}{8}$

\* - SEE APPENDIX FOR SYMBOL DESIGN



D30-1

COLORS  
LEGEND - WHITE (REF)  
CIRCLE - BLUE (REF)  
BACKGROUND - WHITE (REF)

DIMENSIONS (INCHES)												
A	B	C	D	E	F	G	H	J	K	L	M	N
18	1	5/8	8 3/4	7/8	1 1/2	3/4	2	1 7/8	8	6	3 1/16	1 1/2
24	1	1 3/16	11 5/8	1 3/16	2	1	3	2 1/2	11	8	3 5/16	1 1/2

\* - SEE APPENDIX FOR ARROW DESIGN  
ARROW MAY BE LEFT, RIGHT, OR 45 DEGREES AND SHALL BE  
CENTERED ABOUT THE VERTICAL CENTERLINE IN THE SPACE PROVIDED  
FOR WVDOT APPROVED USE ONLY

WV DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
TRAFFIC ENGINEERING DIVISION

D30-1 CODE		D30-1L CODE	
18"		18"	
24"		24"	
D30-1R CODE		D30-1A CODE	
18"		18"	
24"		24"	

D30-1