

Public Notice

U S Army Corps of Engineers

Huntington District

Stream: Ruth Trace Branch Closing Date: January 2, 2009

Please address all comments and inquiries to:

U.S. Army USACE of Engineers, Huntington District

ATTN: CELRH-OR-F Public Notice No. (reference above)

502 Eighth Street

Huntington, West Virginia 25701-2070 Phone: (304) 399-5710

PUBLIC NOTICE: The purpose of this public notice is to inform you of a proposal for work in which you might be interested. It is also to solicit your comments and information to better enable us to make a reasonable decision on factors affecting the public interest. We hope you will participate in this process.

REGULATORY PROGRAM: Since its early history, the United States Army Corps of Engineers (USACE) has played an important role in the development of the nation's water resources. Originally, this involved construction of harbor fortifications and coastal defenses. Later duties included the improvement of waterways to provide avenues of commerce. An important part of our mission today is the protection of the nation's waterways through the administration of the USACE Regulatory Program.

SECTION 10: The USACE is directed by Congress under Section 10 of the Rivers and Harbors Act of 1899 (33 USC 403) to regulate all work or structures in or affecting the course, condition or capacity of navigable waters of the United States (U.S.). The intent of this law is to protect the navigable capacity of waters important to interstate commerce.

SECTION 404: The USACE is directed by Congress under Section 404 of the Clean Water Act (33 USC 1344) to regulate the discharge of dredged and fill material into all waters of the United States, including wetlands. The intent of the law is to protect the nation's waters from the indiscriminate discharge of material capable of causing pollution and to restore and maintain their chemical, physical and biological integrity.

TO WHOM IT MAY CONCERN: The following application has been submitted for a Department of the Army Permit under the provisions of Section 404 of the Clean Water Act. This notice serves as the USACE request to the West Virginia Department of Environmental Protection (WVDEP) to act on Section 401 Water Quality Certification for the following application.

APPLICANT:

Consol of Kentucky, Inc. 1800 Washington Rd.

Pittsburgh, Pennsylvania 15241

LOCATION: The proposed project would be located approximately 3.0 miles northwest of Delbarton, in the Hardee, Lee, and Tug River Districts of Mingo County, West Virginia. The project area can be found at latitude 37° 43' 34" and longitude 82° 14' 11" on the Naugatuck, Delbarton, Myrtle, and Williamson USGS 7.5-minute quadrangles. The proposed project would be constructed in the watersheds of/and unnamed tributaries of Ruth Trace Branch of Pigeon Creek, Conley Branch of Pigeon Creek, Hell Creek of Pigeon Creek, Pigeonroost Creek of Pigeon Creek, Stonecoal Branch of Pigeon Creek, Pigeon Creek, and Miller Creek. Pigeon Creek and Miller Creek exhibit a surface water connection to the Tug Fork River, a traditional navigable water.

DESCRIPTION OF THE PROPOSED WORK: The applicant proposes to discharge dredged and/or fill material into approximately 52,014 linear feet of 6.615 acres of waters of the United States in conjunction with the construction, operation and reclamation of Buffalo Mountain Surface Mine [Pending approval under Surface Mining Control and Reclamation Act (SMCRA) Permit S-5018-07 and National Pollutant Discharge Elimination System (NPDES) Permit WV1029690].

The project's post mine land use would include approximately five miles of line and rough grading for the King Coal Highway. Project components would include 13 valley fills, 4 Erosion Protection Zone (EPZ) structures, several mine-through areas, 17 temporary drainage control structures, and 6 temporary stream crossings for the purpose of providing draining and erosion control (treatment facilities), access to the site, and mineral removal for the proposed surface mine.

Construction of the proposed valley fills and mine-through activities would result in direct discharges of dredged or fill material into 12,252 linear feet (1.858 acres) of perennial stream channels, 23,354 linear feet (2.774 acres) of intermittent stream channels discharge and 7,508 linear feet (0.5434 acre) of ephemeral stream channels. Construction of temporary structures (drainage control structures, road crossings and EPZ) would result in 7,330 linear feet (1.280 acres) of perennial stream channels, 1,530 linear feet (0.159 acre) of intermittent stream channels, and 40 linear feet (0.0013 acre) of ephemeral stream channels. Attachment 22 attached to this public notice details the proposed impacts to waters of the U.S. The purpose of the proposed project is to discharge dredged/fill material to construct attendant and associated features (i.e. overburden disposal, coal recovery, sediment control, etc) to facilitate efficient extraction of 16,784,000 tons of coal reserves in the SMRCA permitted area and line and rough grade for a portion of the King Coal Highway. Coal removed from the project area would be processed and moved offsite for delivery to customers. Plans for the proposal facility are attached to this public notice.

Additionally, the West Virginia Department of Transportation, Division of Highways and the Federal Highway Administration have scheduled an Informational Workshop/Public Meeting on December 11, 2008 from 4:00 PM to 7:00 PM at the Burch High School, Mingo County, WV. Requests for additional information on the workshop/public meeting should be submitted to:

Mr. David E. Cramer, PE Staff Engineer West Virginia Department of Transportation Commissioners Office of Economic Development 1900 Kanawha Blvd., East Building 5, Room 110 Charleston, WV 25305 304.558.3505

ALTERNATIVE ANALYSIS: This project is not considered to be water dependent; therefore, the applicant is required to show that other less damaging practicable alternatives are not available that would achieve the overall project purpose. No permit will be issued until our review of the alternative analysis clearly shows that upland alternatives are not available to achieve the overall project purpose. The applicant considered five alternatives, but only one alternative was determined to be practicable: Alternative No. 5 using combined methods of Area/Mountaintop/Steep Slope/Contour with limited Auger/Highwall Mining. The coal seams proposed for development in the project area are the Upper Kittanning, Middle Kittanning, Middle Kittanning Leader, Five Block, Stockton, Coalburg Rider, Coalburg, Buffalo, Lower Buffalo, and Winifrede horizons. Each of these seams was evaluated for a combination of mining methods beginning with the uppermost seam in the geologic column (Upper Kittanning) and mining down to the Winifrede, with each seam evaluated. Area mining (full seam extraction) for each of the seams evaluated was determined not to be practicable, as a stand alone method of mining. However, the combination of area/mountaintop mining through the Coalburg, Five Block, and Middle Kittanning in various areas contouring the Coalburg, Buffalo, Lower Buffalo and Winifrede adjacent to and within the confines of the proposed fill areas, and augering and/or highwall mining along the contour areas seam was determined to be a practicable alternative. Combining Area/Mountaintop/Steep Slope/Contour with limited Auger/Highwall mining would result in the recovery of approximately 16.8 million tons or 85.1 percent of the total targeted reserves. Mining of the targeted reserves as proposed under Alternative 5 satisfies all of the minimum criteria and was, thus, determined to be a practicable alternative.

MITIGATION PLAN: The project area has been previously timbered, deep mined, and gas reserves have been developed. Also, mining has occurred in the form of surface and deep mining adjacent to the project area. In evaluating a project area containing waters of the U.S., consideration must be given to avoiding impacts on these sites. The USACE has determined that approximately 19,582 linear feet of perennial stream (Streams UT5 of Miller Creek, RTB, RTB-UT15, RFCB, RFCB-UT1, RFCB-UT3, RFHC, RFHC-UT1, RFHC-UT4, RFHC-UT10, LFHC, LFHC-UT1, LFHC-UT8, LFHC-UT9, LFHC-UT10, LFHC-UT11, PRC, PRC-UT2, and UTPC), 32,432 linear feet of intermittent streams (Streams UT4 of Miller Creek, RTB-UT3, RTB-UT8, RTB-UT10, RTB-UT12, RTB-UT13, RTB-UT17, RTB-UT10fUT17, RTB-UT18, RFCB-UT10fUT1, RFCB-UT10fUT1, RFCB-UT2, RFCB-UT4, RFCB-UT5, LFCB, RFHC-UT10ofUT1, RFHC-UT110fUT1, RFHC-UT10fUT4, RFHC-UT30fUT4, RFHC-UT5, RFHC-UT10fUT10, LFHC-UT20fUT1, LFHC-UT10fUT10, LFHC-UT3, PRC-UT3, PRC-UT5, UTPC-UT6, LFPRC, and UT of Stonecoal Branch) and 0.02 acre of jurisdictional wetland (Wetland 3) are located in the area of the proposed project.

Mitigation would be completed within the same major watershed as the proposed impacts (Tug Fork River). Using a combination of on- and off-site mitigation and in-and out-of-kind mitigation, the applicant would implement a watershed-based approach throughout the Pigeon Creek and Miller Creek watersheds, which are tributaries to the Tug Fork. The mitigation approach would include a combination of headwater re-establishment, establishment, and preservation, restoration and enhancement of degraded channels downstream from the proposed mine, restoration of temporarily impacted channels, and treatment of water quality downstream from the proposed mine. By implementing the prescribed mitigation measures outlined above, the applicant would provide hydrologic connectivity from the headwaters of a sub-watershed of Pigeon Creek downstream to the mouth, thereby implementing a watershed-based approach. Additionally, new drainage networks would be established throughout the project area.

WATER QUALITY CERTIFICATION: A Section 401 Water Quality Certification is required for this project. It is the applicant's responsibility to obtain certification from the WVDEP.

HISTORIC AND CULTURAL RESOURCES: Pursuant to Section 106 of the National Historic Preservation Act of 1966, it has been determined there are no historic properties included in or eligible for listing in the National Register of Historic Places (NRHP) that would be affected by the proposed undertaking. Reports entitled, "A Phase I Archaeological Survey of the Proposed Consol of Kentucky Miller Creek East Mine Permit, Hardee District, Mingo County, West Virginia," "Proposal for Phase II National Register of Historic Places Evaluations of Historic Period Sites 46Mo114 and 46Mo117, Consol of Kentucky, Inc., Miller Creek East Mine Permit, Hardee District, Mingo County, West Virginia," and "Phase II National Register Evaluations of the Hell Creek Homestead (46Mo114) and the Ruth Trace Branch Homestead #2 (46Mo117) for the Proposed Consol of Kentucky Miller Creek East Mine Permit, Hardee District, Mingo County, West Virginia" were prepared and submitted to West Virginia Division of Culture and History, State Historical Preservation Office (SHPO) for review. The SHPO has reviewed the reports and in a letter dated March 27, 2007 stated that only one archaeological site identified in the project area (46Mo117) was possibly eligible for inclusion in the NRHP (prehistoric component only). The letter requested the site have further evaluation and that the area be avoided in the interim. All other archaeological sites investigated in the project area were not eligible for inclusion in the NRHP and no further consultation is required. A copy of this public notice will be sent to the SHPO for their review. Additional comments concerning archeological sensitivity of a project area should be based upon collection data.

ENDANGERED/THREATENED SPECIES REVIEW: Two federally listed endangered species, the Indiana bat (*Myotis sodalis*) and Virginia big-eared bat (*Corynorhinus townsendii virginianus*) may occur within the project area. In the summer of 2006, a bat mist-net survey was completed in the project area to determine presence or probable absence of the Indiana bat within the proposed project area. No federally-listed bats were captured during this survey. The proposed project area was also surveyed for abandoned mine portals that could support summer or winter colonies of the endangered Virginia big-eared bat or provide hibernaculum for the Indiana bat. Eight portal features were located within the project area; of these eight portals, four were determined to be potentially suitable for use by Virginia big-eared or Indiana bats. Further survey of these four portals between October 3rd and October 8th 2007 found that no

federally listed bats were utilizing these habitats. Based on these results, the WVDEP, in a letter dated October 31, 2007, recommended that Portal Closure Protocol be implemented. The portals were closed using 1-inch mesh wire chicken wire in May of 2008. This public notice serves as a request to the USFWS for any additional information they may have on whether any listed of proposed to be listed endangered or threatened species may be present in the ESA Species Act of 1972 (as amended).

PUBLIC INTEREST REVIEW AND COMMENT: Any person who has an interest that may be adversely affected by the issuance of a permit may request a public hearing. The request must be submitted in writing to the District Engineer on or before the expiration date of this notice and must clearly set forth the interest, which may be adversely affected, and the manner in which the interest may be adversely affected by the activity. This application will be reviewed in accordance with 33 CFR 320-332, the Regulatory Program of the USACE, and other pertinent laws, regulations, and executive orders. Our evaluation will also follow the guidelines published by the United States Environmental Protection Agency pursuant to Section 404(b)(1) of the CWA. Interested parties are invited to state any objections they may have to the proposed work. The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit that reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors that may be relevant to the proposal will be considered including the cumulative effects thereof; of those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people. Written statements on these factors received in this office on or before the expiration date of this public notice will become a part of the record and will be considered in the final determination. A permit will be granted unless its issuance is found to be contrary to the public interest.

SOLICITATION OF COMMENTS: The USACE is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. For accuracy and completeness of the administrative record, all data in support of or in opposition to the proposed work should be submitted in writing setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition. Any comments received will be considered by the USACE to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

CLOSE OF COMMENT PERIOD: All comments pertaining to this Public Notice must reach this office on or before the close of the comment period listed on page one of this Public Notice. If no comments are received by that date, it will be considered that there are no objections. Comments and requests for additional information should be submitted to Mrs. Teresa Spagna, Project Manager, Energy Resource Section, CELRH-OR-FE, USACE Huntington District, 502 Eighth Street, Huntington, West Virginia 25701-2070. Please note names and addresses of those who submit comments in response to this public notice become part of our administrative record and, as such, are available to the public under provisions of the Freedom of Information Act. Thank you for your interest in our nation's water resources. If you have any questions concerning the above, please contact Mrs. Teresa Spagna of the Energy Resource Section at (304) 399-5610.

Ginger Mullins, Chief Regulatory Branch


(W)

Attachment 22
Consol of Kentucky, Inc., Buffalo Mountain
SMCRA Permit Number S-5018-07

			JUNE	SMCKA Permit Number 5-5018-07	umber o-o	078-07								
Structure	Stream	Stream/Trib.	Per	Perennial	Intermitt	Intermittent	Eph	Ephemeral	Per	Perennial	Inte	lemporary	Foh	Fohemeral
		⊇	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres
VF1		mainstem	1870	0.2454	1600	0.1446	130	0.0079						
VF1		UT12			190	0.0174	110	0.0068						
VF1		UT13			150	0.0109	122	0.000						
VF1		UT15	20	0 003	100	0.0071	730	0.0478						
VF1		UT17			009	0.0590	486	0,0345						
VF1		UT1-UT17			200	0.0545	300	0.0219						
VF1		UT18			350	0.0372	450	0.0344						
VF1	Ruth Trace Br.	UT19			85	0.0041	15	0.0005						
Mine Through		UT15					06	0.0053						
Pond 1		mainstem							144	0.0193				
Pond 1		mainstem							009	0.0684				
Pond 1		UT8									130	0.0157		
Pond 1		UT10							125	0.0235				
IUAR1 Crossings		UT3									65	0.0081		
VF2		mainstem	790	0.1006	760	0.1009	99	0.0047						
VF2		DT4			220	0.0184	230	0.0154						
714		5			120	0.0083	180	0.0127						
Pond 28		mainstem				'			06	0.0101				
Pond 2B		mainstem					1		325	0.0534		!		
TOING TO		710									180	0.0126		
Pond 2A		mainstem					1		75	0.0126				
Pond 24	Right Fork Conley Br.	Halisterii							98 5	0.0335				
VE3		2010	000	00100	100	, 000	,	0.00	140	0.0143				
VF3		IIT2-IIT4	350	0.0332	3	0.0024	133	0.0010					,	
Pond 3		UTU			7		3	0.00	95	0.0122				
Pond 3		15							255	0.0301				
Pond 3		1111111								1000	15	0.000		
IUAR3 Crossing		UT1-UT1									5.	0.0023		
											3			
VF4	1.76. 4.7	UT5-MC	1067	0.1754	813	0.0738								
VF4		UT5-MC			75	0.0048								
Mine Through		UT4-MC			72	0.0043	09	0.0026						
Pond 4B	Acce Carlina	UTS-MC							06	0.0141				
Pond 4B	Willer Clear	UTS-MC							225	0.0403				
Pond 4A		UT5-MC							80	0.0135				
Pond 4A		UT5-MC							100	0.0160				
							1							
VF6		mainstem			1760	0.1863	390	0.0267						
Pond 6		mainstem									8	0.0122		
Pond 6	Left Fork Conley Br.	mainstem								İ	280	0.0325		
EPZ 6		mainstem			355	0.0462								
VES	Diaht Fort Holl Crook	LITA DEUC	1480	0 404 0	350	0.000	200	20000						
VF5	Might of Arien of eek	UT10-UT1	204	0.0	80	0.0100	007	0.000						
VF5		UT11-UT1			435	0.0515	645	0.0434						
Pond 5		UT1-RFHC							125	0.0142				
Pond 5		UT1-RFHC							410	0.0291				

		Ji. L.			Permanent	ent					Tem	Temporary		
Structure	Stream		Per	Perennial	Inter	Intermittent	Ephe	Ephemeral	Per	Perennial	Inter	Intermittent	Eph	Ephemeral
		ā	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres
VF7		UT4-RFHC			1185	0.1661	10	0.0012						
VF7		UT3-UT4			290	0.0312	20	0.0013						
Pond 7		UT4-RFHC							20	0.0069	110	0.0150		
Pond 7		mainstem							75	0.0192				
Pond 7		mainstem							995	0.0886				
EPZ 7		UT4-RFHC			345	0.0533								
EPZ 7		UT1-UT4			70	0.0068								
VF8		mainstem	1550	0.2423	800	0.0995	685	0.0604						
VF8		1117		1	135	0.0133	385	0.0438						
VF8		UT10	20	0.0017	325	0.0137	10	0.0004						
VF8		UT1	3		120	0.0236	340	0.0336						
VF8		1174			2		40	0.0023						
Pond 8B		mainstem					2		63	0.0081				
Pond 8B		mainstem							257	0.0510				
Pond 8B		UTS									75	0.0085		
Pond 8B		UT6									85	0.0125		
Pond 8A		mainstem							55	0 0092	3	0.015		
Pond 8A		mainstem							225	0.0309				
IUAR8 Crossings		UTS									25	0.0024		
IUAR8 Crossings		UT6									15	0.0016		
VF9		UT1-LFHC	1385	0.2605	930	0.1684								
VF9		UT2-UT1-LFHC			300	0.0361								
VF9		UT1-LFHC			250	0.0308	250	0.0197						
VF9		UTS-UT1-LFHC			08	0.0080	120	0.0139						
Pond 9A		UT1-LFHC							75	0.0161				
Pond 9A		UT1-LFHC							310	0.0753				
Pond 9B		UT1-FHC							85	0.0236				
Pond 9B		UT1-LFHC							315	0.0792				
VF10A		mainstem	1110	0.1833	615	0.0685	165	0.0129						
VF10A		UT11	250	0.0245	745	0.1331	5	0.0004						
VF10A		UT12			167	0.0146	138	0.0121						
VF10A		mainstem					06	0.0054						
VF10B	1002 0 100 450 1	UT10	1415	0.2572	1215	0.1823	2	0.004						
VF10B	Tell of the oten	11T4-11T4-11T40			337	0.07.02	6	00.00						
VF10B		1172-11740			350	0.0721	10	0 0001						
VF10B		UT10			265	0.0197	30 2	0.0005						
Pond 10A		mainstem							55	0.0121				
Pond 10A		mainstem							565	0.1112				
Pond 10A		UT9							55	0.0039				
Pond 10A		OTD							09	0.0038				
Pond 10A		UT10							35	0.0055				
Pond 10B		mainstem							80	0.0311				
Pond 10B		mainstem							440	0.1017				
Pond 10B		8T0							09	0.0010				
IUAR10 Crossing		UT8							55	0.0039				
	i				1									
VF11	Pigeonroost Creek	mainstem	280	0.1354	1855	0.2677	35	0.0018						
1111		UIS-PRC			1/20	0.2004								

		Ctronm/Trib			Permanent	nent					Ten	Temporary		
Structure	Stream	Stream/1110.	P.	Perennial	Inter	Intermittent	Eph	Ephemeral	Pe	Perennial	Inte	Intermittent	Ept	Ephemeral
		≘	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres	Feet	Acres
VF11		UT5-PRC			80	0.0083	100	0.0085						
MT Only		left fork mainstem			30	0.0024	110	0.0081			,	1	,	
Pond 11		mainstem							115	0.0332				
Pond 11		mainstem							465	0.1231				
Pond 11		UT2-PRC							9	0.0118				
EPZ 11		mainstem	325	0.0734										
EPZ 11		UT3-PRC			75	0.0073								
EPZ 11		UT3-PRC												
IUAR11														
Crossings	1	UT2-PRC							8	0.0039				-
IUAR11														
Crossings		UT1-UT1-PRC									55	0.0014		
IUAR11														
Crossings		UT1-UT1-PRC												
VF12		mainstem			888	0.1011	447	0.0243						
Pond 12		mainstem							06	0.0157	15	0.0017		
Pond 12		mainstem									260	0.0231		
EPZ 12	;	mainstem			290	0.0296								
IUAR12	Unnamed Trib. Pigeon Cr.													
Crossings		UT6-UTPC									55	0.0051		
IUAR12		C C L											Ş	200
Crossings	-	24.0-610											7	0.00
Mine Through	Unnamed Trib Stonecoal Br	mainstem			100	0.0090								
							_							
TOTAL			12,252	1.8577	23,354	2.7736	7,508	0.5434	7,330	1.2801	1,530	0.1589	40	0.0013
CPAND TOTAL	,	42 444 1: 6 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4		4			1 11 40-2			W				



SCALE: 1 inch = 1 mile

LOCATION MAP OF MINGO COUNTY

DISTRICT(S): HARDEE, LEE, AND TUG RIVER

QUAD(S): DELBARTON, MYRTLE, NAUGATUCK, WILLIAMSON

RECIEVING STREAMS: Unnamed Tributaries of/and Ruth Trace Branch, Unnamed Tributaries


of/and Conley Branch, Unnamed Tributaries of/and Hell Creek, Unnamed Tributaries


of/and Pigeonroost Creek, an Unnamed Tributary of Stonecoal Branch, all of Pigeon Creek, Unnamed Tributaries


of Pigeon Creek, Unnamed Tributaries of/and Miller Creek, and Unnamed Tributaries of Buffalo Creek, all of

Tug Fork of Big Sandy River of the Ohio River


SMA NO.: S-5018-07











4 cf 10











90f10

