Beam Blasting 3/78

ADDENDUM ACKNOWLEDGEMENT FORM
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:
(Check the box next to each addendum received)

- [x] Addendum No. 1
- [ ] Addendum No. 2
- [ ] Addendum No. 3
- [ ] Addendum No. 4
- [ ] Addendum No. 5
- [ ] Addendum No. 6
- [ ] Addendum No. 7
- [ ] Addendum No. 8
- [ ] Addendum No. 9
- [ ] Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Beam Blasting LLC
Company

Joe Beam
Authorized Signature

4/13/25
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.

Revised 02/27/2015

Rev. 04/14

State of West Virginia

VENDOR PREFERENCE CERTIFICATE

Certification and application* is hereby made for Preference in accordance with ***West Virginia Code***, §5A-3-37. (Does not apply to construction contracts). ***West Virginia Code***, §5A-3-37, provides an opportunity for qualifying vendors to request (at the time of bid) preference for their residency status. Such preference is an evaluation method only and will be applied only to the cost bid in accordance with the ***West Virginia Code***. This certificate for application is to be used to request such preference. The Purchasing Division will make the determination of the Vendor Preference, if applicable.

1. ✓ **Application is made for 2.5% vendor preference for the reason checked:**
Bidder is an individual resident vendor and has resided continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**

___ Bidder is a partnership, association or corporation resident vendor and has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; or 80% of the ownership interest of Bidder is held by another individual, partnership, association or corporation resident vendor who has maintained its headquarters or principal place of business continuously in West Virginia for four (4) years immediately preceding the date of this certification; **or,**

___ Bidder is a nonresident vendor which has an affiliate or subsidiary which employs a minimum of one hundred state residents and which has maintained its headquarters or principal place of business within West Virginia continuously for the four (4) years immediately preceding the date of this certification; **or,**

2. ✓ **Application is made for 2.5% vendor preference for the reason checked:**
Bidder is a resident vendor who certifies that, during the life of the contract, on average at least 75% of the employees working on the project being bid are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**

3. **Application is made for 2.5% vendor preference for the reason checked:**
___ Bidder is a nonresident vendor employing a minimum of one hundred state residents or is a nonresident vendor with an affiliate or subsidiary which maintains its headquarters or principal place of business within West Virginia employing a minimum of one hundred state residents who certifies that, during the life of the contract, on average at least 75% of the employees or Bidder's affiliate's or subsidiary's employees are residents of West Virginia who have resided in the state continuously for the two years immediately preceding submission of this bid; **or,**

4. ✓ **Application is made for 5% vendor preference for the reason checked:**
Bidder meets either the requirement of both subdivisions (1) and (2) or subdivision (1) and (3) as stated above; **or,**

5. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
___ Bidder is an individual resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard and has resided in West Virginia continuously for the four years immediately preceding the date on which the bid is submitted; **or,**

6. **Application is made for 3.5% vendor preference who is a veteran for the reason checked:**
___ Bidder is a resident vendor who is a veteran of the United States armed forces, the reserves or the National Guard, if, for purposes of producing or distributing the commodities or completing the project which is the subject of the vendor's bid and continuously over the entire term of the project, on average at least seventy-five percent of the vendor's employees are residents of West Virginia who have resided in the state continuously for the two immediately preceding years.

7. **Application is made for preference as a non-resident small, women- and minority-owned business, in accordance with *West Virginia Code* §5A-3-59 and *West Virginia Code of State Rules*.**
___ Bidder has been or expects to be approved prior to contract award by the Purchasing Division as a certified small, women- and minority-owned business.

Bidder understands if the Secretary of Revenue determines that a Bidder receiving preference has failed to continue to meet the requirements for such preference, the Secretary may order the Director of Purchasing to: (a) reject the bid; or (b) assess a penalty against such Bidder in an amount not to exceed 5% of the bid amount and that such penalty will be paid to the contracting agency or deducted from any unpaid balance on the contract or purchase order.

By submission of this certificate, Bidder agrees to disclose any reasonably requested information to the Purchasing Division and authorizes the Department of Revenue to disclose to the Director of Purchasing appropriate information verifying that Bidder has paid the required business taxes, provided that such information does not contain the amounts of taxes paid nor any other information deemed by the Tax Commissioner to be confidential.

Under penalty of law for false swearing (West Virginia Code, §61-5-3), Bidder hereby certifies that this certificate is true and accurate in all respects; and that if a contract is issued to Bidder and if anything contained within this certificate changes during the term of the contract, Bidder will notify the Purchasing Division in writing immediately.

Bidder: BEAM BUSTING LLC **Signed:** Joe Beam

Date: 4/14/2015 **Title:** MEMBER

RFQ No. DOT 1500000007

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceed five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (*W. Va. Code* §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: BEAM BLASTING LLC

Authorized Signature: Joe Beam Date: 4/14/2015

State of West Virginia

County of Kanawha, to-wit:

Taken, subscribed, and sworn to before me this 14 day of April, 2015.

My Commission expires September 30, 2022

AFFIX SEAL HERE **NOTARY PUBLIC** Sandra K Burdette

OFFICIAL SEAL
Notary Public, State Of West Virginia
SANDRA K BURDETTE
Beam Blasting L L C
100 Harris Drive, Poca, WV 25159
My Commission Expires September 30, 2022

Purchasing Affidavit (Revised 07/01/2012)

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number: WV050514

Classification:

PAINTING
PRESSURE WASHING/SANDBLASTING

BEAM BLASTING LLC
DBA BEAM BLASTING LLC
PO BOX 489
POCA, WV 25159

Date Issued	Expiration Date
FEBRUARY 21, 2015	FEBRUARY 21, 2016

Joe Beam
Authorized Company Signature

Michael A. Carl
Chair, West Virginia Contractor Licensing Board

WEST VIRGINIA CONTRACTOR LICENSING BOARD

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	1-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Mobilization	LS	1250.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-10				23153501	Paint Application Systems	District 1 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-11				23153501	Paint Application Systems	District 1 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Pressure Washing	SF	0.69	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-30				23153501	Paint Application Systems	District 1 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-31				23153501	Paint Application Systems	District 1 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-32				23153501	Paint Application Systems	District 1 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-33				23153501	Paint Application Systems	District 1 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-34				23153501	Paint Application Systems	District 1 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-35				23153501	Paint Application Systems	District 1 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.21	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-36				23153501	Paint Application Systems	District 1 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.24	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-37				23153501	Paint Application Systems	District 1 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.33	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-38				23153501	Paint Application Systems	District 1 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.44	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-39				23153501	Paint Application Systems	District 1 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-40				23153501	Paint Application Systems	District 1 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.64	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 1 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Mobilization	LS	1350.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-10				23153501	Paint Application Systems	District 2 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-11				23153501	Paint Application Systems	District 2 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	2-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-30				23153501	Paint Application Systems	District 2 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-31				23153501	Paint Application Systems	District 2 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-32				23153501	Paint Application Systems	District 2 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-33				23153501	Paint Application Systems	District 2 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-34				23153501	Paint Application Systems	District 2 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-35				23153501	Paint Application Systems	District 2 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.21	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-36				23153501	Paint Application Systems	District 2 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.24	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-37				23153501	Paint Application Systems	District 2 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.33	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-38				23153501	Paint Application Systems	District 2 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.44	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-39				23153501	Paint Application Systems	District 2 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-40				23153501	Paint Application Systems	District 2 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.64	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 2 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Mobilization	LS	1250.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-10				23153501	Paint Application Systems	District 3 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-11				23153501	Paint Application Systems	District 3 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-30				23153501	Paint Application Systems	District 3 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-31				23153501	Paint Application Systems	District 3 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-32				23153501	Paint Application Systems	District 3 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-33				23153501	Paint Application Systems	District 3 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-34				23153501	Paint Application Systems	District 3 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-35				23153501	Paint Application Systems	District 3 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.23	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-36				23153501	Paint Application Systems	District 3 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-37				23153501	Paint Application Systems	District 3 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-38				23153501	Paint Application Systems	District 3 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.47	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	3-39				23153501	Paint Application Systems	District 3 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-40				23153501	Paint Application Systems	District 3 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 3 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Mobilization	LS	1350.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-10				23153501	Paint Application Systems	District 4 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-11				23153501	Paint Application Systems	District 4 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-30				23153501	Paint Application Systems	District 4 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-31				23153501	Paint Application Systems	District 4 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-32				23153501	Paint Application Systems	District 4 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-33				23153501	Paint Application Systems	District 4 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-34				23153501	Paint Application Systems	District 4 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-35				23153501	Paint Application Systems	District 4 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.23	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-36				23153501	Paint Application Systems	District 4 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-37				23153501	Paint Application Systems	District 4 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-38				23153501	Paint Application Systems	District 4 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.47	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-39				23153501	Paint Application Systems	District 4 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-40				23153501	Paint Application Systems	District 4 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 4 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Mobilization	LS	1450.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Traffic Control Devices	EA	1.75	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Electric Arrow	DAY	49.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Temporary Traffic Signal	LS	10800.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Flagger	HOUR	62.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Warning Lights	DAY	4.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Traffic Director	HOUR	61.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.60	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-10				23153501	Paint Application Systems	District 5 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	74.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-11				23153501	Paint Application Systems	District 5 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Pressure Washing	SF	0.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.69	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.14	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	5-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.96	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.85	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.98	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.64	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Disposal Waste Material from Cleaning Operations	DRUM	695.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Project Clean Up	SF	0.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Worker Protection - Toxic Metal	LS	265.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Caulking	LF	7.05	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.39	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-30				23153501	Paint Application Systems	District 5 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.71	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-31				23153501	Paint Application Systems	District 5 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.16	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-32				23153501	Paint Application Systems	District 5 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-33				23153501	Paint Application Systems	District 5 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.51	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-34				23153501	Paint Application Systems	District 5 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.82	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-35				23153501	Paint Application Systems	District 5 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-36				23153501	Paint Application Systems	District 5 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-37				23153501	Paint Application Systems	District 5 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-38				23153501	Paint Application Systems	District 5 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.49	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-39				23153501	Paint Application Systems	District 5 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-40				23153501	Paint Application Systems	District 5 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.70	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.43	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 5 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.48	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Mobilization	LS	1450.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Traffic Control Devices	EA	1.85	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Electric Arrow	DAY	49.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Temporary Traffic Signal	LS	10500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Flagger	HOUR	62.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Warning Lights	DAY	4.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Traffic Director	HOUR	61.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.60	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges -	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-10				23153501	Paint Application Systems	District 6 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	74.33	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-11				23153501	Paint Application Systems	District 6 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.41	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Pressure Washing	SF	0.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.69	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.14	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.96	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.85	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.98	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.64	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Disposal Waste Material from Cleaning Operations	DRUM	695.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Project Clean Up	SF	0.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Worker Protection - Toxic Metal	LS	265.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Caulking	LF	7.05	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.39	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-30				23153501	Paint Application Systems	District 6 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.71	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-31				23153501	Paint Application Systems	District 6 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.16	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-32				23153501	Paint Application Systems	District 6 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-33				23153501	Paint Application Systems	District 6 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.52	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-34				23153501	Paint Application Systems	District 6 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.82	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	6-35				23153501	Paint Application Systems	District 6 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-36				23153501	Paint Application Systems	District 6 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-37				23153501	Paint Application Systems	District 6 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-38				23153501	Paint Application Systems	District 6 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.49	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-39				23153501	Paint Application Systems	District 6 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-40				23153501	Paint Application Systems	District 6 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.70	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.43	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 6 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.48	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Mobilization	LS	1250.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Dry-Clean of Deck, Parapets and Expansion Joints -	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges -	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-10				23153501	Paint Application Systems	District 7 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-11				23153501	Paint Application Systems	District 7 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-30				23153501	Paint Application Systems	District 7 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-31				23153501	Paint Application Systems	District 7 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-32				23153501	Paint Application Systems	District 7 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-33				23153501	Paint Application Systems	District 7 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-34				23153501	Paint Application Systems	District 7 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-35				23153501	Paint Application Systems	District 7 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.23	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-36				23153501	Paint Application Systems	District 7 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-37				23153501	Paint Application Systems	District 7 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-38				23153501	Paint Application Systems	District 7 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.47	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-39				23153501	Paint Application Systems	District 7 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-40				23153501	Paint Application Systems	District 7 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 7 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Mobilization	LS	1350.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-10				23153501	Paint Application Systems	District 8 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-11				23153501	Paint Application Systems	District 8 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	8-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-30				23153501	Paint Application Systems	District 8 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.66	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-31				23153501	Paint Application Systems	District 8 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.11	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-32				23153501	Paint Application Systems	District 8 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.08	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-33				23153501	Paint Application Systems	District 8 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.46	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-34				23153501	Paint Application Systems	District 8 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-35				23153501	Paint Application Systems	District 8 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.23	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-36				23153501	Paint Application Systems	District 8 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.26	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-37				23153501	Paint Application Systems	District 8 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-38				23153501	Paint Application Systems	District 8 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.47	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-39				23153501	Paint Application Systems	District 8 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-40				23153501	Paint Application Systems	District 8 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	8-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 8 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Mobilization	LS	1250.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Traffic Control Devices	EA	1.65	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Electric Arrow	DAY	46.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-10				23153501	Paint Application Systems	District 9 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-11				23153501	Paint Application Systems	District 9 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Disposal Waste Material from Cleaning Operations	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Caulking	LF	6.18	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-30				23153501	Paint Application Systems	District 9 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

VENDOR CUSTOMER CODE	SUPPLIER PART NUMBER	SUPPLIER NAME	MANUFACTURER NAME	MANUFACTURER PART NUMBER	COMMODITY CODE	ITEM DESCRIPTION	EXTENDED DESCRIPTION	UNIT OF MEASURE	LIST PRICE	DELIVERY DAYS	PRODUCT/CATEGORY	MODEL	DRAWING	PIECE	SERIAL NUMBER	SPECIFICATION	SIZE	COLOR	PICTURE FILE NAME
	9-31				23153501	Paint Application Systems	District 9 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.13	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-32				23153501	Paint Application Systems	District 9 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-33				23153501	Paint Application Systems	District 9 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.48	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-34				23153501	Paint Application Systems	District 9 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.80	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-35				23153501	Paint Application Systems	District 9 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.24	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-36				23153501	Paint Application Systems	District 9 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.27	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-37				23153501	Paint Application Systems	District 9 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-38				23153501	Paint Application Systems	District 9 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.49	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-39				23153501	Paint Application Systems	District 9 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.39	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-40				23153501	Paint Application Systems	District 9 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	9-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 9 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-01	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Mobilization	LS	1350.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-02	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Traffic Control Devices	EA	1.75	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-03	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Electric Arrow	DAY	48.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-04	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Temporary Traffic Signal	LS	9500.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-05	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Flagger	HOUR	58.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-06	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Warning Lights	DAY	3.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-07	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Traffic Director	HOUR	58.25	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-08	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Dry-Clean of Deck, Parapets and Expansion Joints	SF	0.55	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-09	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Dry-Clean of Abutments, Piers, Diaphragms and Flanges	SF	0.61	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-10				23153501	Paint Application Systems	District 10 - Chloride Contamination Test - CHLOR*TEST, or equal to	EA	72.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-11				23153501	Paint Application Systems	District 10 - Soluble Salt Remover - CHLOR*RID, or equal to	SF	0.35	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-12	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Pressure Washing	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-13	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.63	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-14	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/Pressure washing - 5,001 to 10,000 SF	SF	1.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-15	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/Pressure washing - greater than 10,001 SF	SF	1.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-16	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-17	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/hot water washing - 5,001 to 10,000 SF	SF	1.72	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-18	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand Tool Cleaning w/hot water washing - greater than 10,001 SF	SF	1.62	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-19	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	1.30	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-20	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	1.78	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-21	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Commercial Grade Power Tool Cleaning w/Pressure washing - 0 to 5,000 SF	SF	2.89	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-22	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Commercial Grade Power Tool Cleaning w/hot water washing - 0 to 5,000 SF	SF	2.81	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-23	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Containment Power Tool Cleaning/Commercial Grade - Power Tool Cleaning	SF	2.84	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-24	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Containment Hand Tool/Vaccum Shrouded - Power Tool Cleaning	SF	2.22	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-25	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Disposal Waste Material from Cleaning Operations -	DRUM	610.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-26	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Project Clean Up	SF	0.20	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-27	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Worker Protection - Toxic Metal	LS	205.00	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-28	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Caulking	LF	6.15	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-29	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Hand application surcharge - for brush, roller or glove applications with the exception of stripe application	SF	1.29	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-30				23153501	Paint Application Systems	District 10 - Termarust System Penetrant/Sealer - Calcium Sulfonate System 2200 Penetrant/Sealer, or equal to	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-31				23153501	Paint Application Systems	District 10 - Termarust System Self Priming Topcoat - Calcium Sulfonate System 2100 Self Priming Topcoat, or equal to	SF	1.13	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-32				23153501	Paint Application Systems	District 10 - DeVo System Heavy Duty Cleaner - Pre Prime System Devprep 88 Heavy Duty Cleaner, or equal to	SF	0.09	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-33				23153501	Paint Application Systems	District 10 - DeVo System Epoxy Primer - Pre Prime System Bar Rust 231 Epoxy Primer, or equal to	SF	0.48	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-34				23153501	Paint Application Systems	District 10 - DeVo System Urethane - Pre Prime System Devthane 359 Urethane, or equal to	SF	0.80	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-35				23153501	Paint Application Systems	District 10 - Wasser Micaceous System Prepond Sealer - Iron Oxide System Prepond Sealer, or equal to	SF	0.24	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-36				23153501	Paint Application Systems	District 10 - Wasser Micaceous System Miomastic Primer - Iron Oxide System MC Miomastic Primer, or equal to	SF	0.27	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-37				23153501	Paint Application Systems	District 10 - Wasser Micaceous System Miozinc Primer - Iron Oxide System MC Miozinc Primer, or equal to	SF	0.37	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-38				23153501	Paint Application Systems	District 10 - Wasser Micaceous System Top Coat - Iron Oxide System MC Luster Top Coat, or equal to	SF	0.49	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-39				23153501	Paint Application Systems	District 10 - Mathis System Primer Plus - Coatings Noxyde System Noxyde Primer Plus, or equal to	SF	1.39	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-40				23153501	Paint Application Systems	District 10 - Mathis System Top Coat - Coatings Noxyde System Pegacryl Top Coat, or equal to	SF	0.68	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-41	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Single Component Coating application - with materials/etc. provided by the WVDOH	SF	0.38	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10-42	N/A	N/A	N/A	23153501	Paint Application Systems	District 10 - Multi Component Coating application - with materials/etc. provided by the WVDOH	SF	0.42	15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	