



State of West Virginia
Request For Quotation

Procurement Folder : 206517

Document Description : POWER EARTH AND ROCK AUGERS/DRILLS W/OPERATOR

Procurement Type : Agency Master Agreement

Date Issued	Solicitation Closes	Solicitation No	Version	Phase
2016-05-16	2016-06-01 13:00:00	ARFQ 0803 DOT1600000016	1	Final

VENDOR	
FINANCE & ADMINISTRATION DIVISION OF HIGHWAYS BLDG 5, RM A-220 1900 KANAWHA BLVD E CHARLESTON US	Vendor Name, Address and Telephone Ohio-West Virginia Excavating Co P.O. Box 128 Powhatan Point, OH 43942 740 676 7464

FOR INFORMATION CONTACT THE

Angela Moorman
(304) 558-9427
angle.j.moorman@wv.gov

Signature X

W. Hugh Lee

FEIN #

34-1421920

DATE

5-27-14

All offers subject to all terms and conditions contained in this solicitation

VARIOUS AGENCY LOCATIONS AS INDICATED BY ORDER		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER	
No City	WV99999	No City	WV 99999
US		US	

Line	Commodity Line Description	Qty	Unit Issue	Unit Price	Total Price
1	POWER EARTH AND ROCK AUGERS/DRILLS W/OPERATOR				

Commodity Code	Manufacturer	Model #	Specification
73181008			

Extended Description
POWER EARTH AND ROCK AUGERS/DRILLS WITH OPERATORS

SCHEDULE OF EVENTS		
Line	Event	Event Date
1	Technical Question	2016-05-23

**ADDITIONAL TERMS AND CONDITIONS
(Architectural and Engineering Contracts Only)**

1. PLAN AND DRAWING DISTRIBUTION: All plans and drawings must be completed and available for distribution at least five business days prior to a scheduled pre-bid meeting for the construction or other work related to the plans and drawings.

2. PROJECT ADDENDA REQUIREMENTS: The Architect/Engineer and/or Agency shall be required to abide by the following schedule in issuing construction project addenda. The Architect/Engineer shall prepare any addendum materials for which it is responsible, and a list of all vendors that have obtained drawings and specifications for the project. The Architect/Engineer shall then send a copy of the addendum materials and the list of vendors to the State Agency for which the contract is issued to allow the Agency to make any necessary modifications. The addendum and list shall then be forwarded to the Purchasing Division buyer by the Agency. The Purchasing Division buyer shall send the addendum to all interested vendors and, if necessary, extend the bid opening date. Any addendum should be received by the Purchasing Division at least fourteen (14) days prior to the bid opening date.

3. PRE-BID MEETING RESPONSIBILITIES: The Architect/Engineer shall be available to attend any pre-bid meeting for the construction or other work resulting from the plans, drawings, or specifications prepared by the Architect/Engineer.

4. AIA DOCUMENTS: Contracts for architectural and engineering services will be governed by the AIA document B101-2007, as amended by the Supplementary Conditions for the State of West Virginia, in addition to the terms and conditions contained herein when procured under Chapter 5G of the West Virginia Code.

5. GREEN BUILDINGS MINIMUM ENERGY STANDARDS: In accordance with West Virginia Code § 22-29-4, all new building construction projects of public agencies that have not entered the schematic design phase prior to July 1, 2012, or any building construction project receiving state grant funds and appropriations, including public schools, that have not entered the schematic design phase prior to July 1, 2012, shall be designed and constructed complying with the ICC International Energy Conservation Code, adopted by the State Fire Commission, and the ANSI/ASHRAE/IESNA Standard 90.1-2007: Provided, That if any construction project has a commitment of federal funds to pay for a portion of such project, this provision shall only apply to the extent such standards are consistent with the federal standards.

ADDENDUM ACKNOWLEDGEMENT FORM

SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification. Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:
(Check the box next to each addendum received)

- | | |
|---|--|
| <input type="checkbox"/> Addendum No. 1 | <input type="checkbox"/> Addendum No. 6 |
| <input type="checkbox"/> Addendum No. 2 | <input type="checkbox"/> Addendum No. 7 |
| <input type="checkbox"/> Addendum No. 3 | <input type="checkbox"/> Addendum No. 8 |
| <input type="checkbox"/> Addendum No. 4 | <input type="checkbox"/> Addendum No. 9 |
| <input type="checkbox"/> Addendum No. 5 | <input type="checkbox"/> Addendum No. 10 |

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Ohio-West Virginia Excavating Co
P.O. Box 128
Powhatan Point, OH 43942

Company

W. Hays Sen

Authorized Signature

5-27-14

Date

NOTE: This addendum acknowledgment should be submitted with the bid to expedite document processing.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

SPECIFICATIONS

1. **PURPOSE AND SCOPE:** The West Virginia Division of Highways is soliciting bids to establish an open-end contract to provide Power Earth and Rock Augers/Drills with Operators for drilling holes through earth and rock at varying diameters for use at locations throughout the State of WV by the West Virginia Division of Highways.

2. **DEFINITIONS:** The terms listed below shall have the meanings assigned to them below. Additional definitions can be found in section 2 of the General Terms and Conditions.
 - 2.1 **“Contract Item” or “Contract Items”** means the list of items identified in Section 3, below.
 - 2.2 **“Pricing Pages”** means the schedule of prices, estimated order quantity and totals contained in wvOASIS or attached hereto as Exhibit A and used to evaluate the Solicitation responses.
 - 2.3 **“Solicitation”** means the official notice of an opportunity to supply the State with goods or services.
 - 2.4 **“WVDOH”** used throughout this Solicitation means the West Virginia Division of Highways.
 - 2.5 **“SRIC”** used throughout this Solicitation means Snow Removal and Ice Control.
 - 2.6 **“Contractor” or “Vendor”** used throughout this Solicitation and in any cited sections of the West Virginia Department of Transportation, Division of Highways Standard Specifications, Roads and Bridges, adopted most recent, as modified by all subsequent annual Supplemental Specifications, are interchangeable.

3. GENERAL REQUIREMENTS:

- 3.1 **Contract Items and Mandatory Requirements:** Vendor shall provide Agency with the Contract Items listed below on an open-end and continuing basis. Contract Items must meet or exceed the mandatory requirements as shown below.

3.1.1 Contract Item:

This contract shall consist of the Vendor furnishing Power Earth and Rock Augers/Drills, fully operated including fuel, maintenance and all other

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

necessary equipment to pre-bore and install piling of various sizes for slide correction and structure foundation repairs.

3.1.1.2 Equipment Minimum Requirements:

- Drill shall be mounted on a turntable base with a 240-degree rotation and a 30-inch slide stroke at any point in the arc of rotation.
- Drill shall possess a power plant and a mechanical drill assembly, which delivers 35,000 foot-pounds of torque to the Kelly bar, which rotates the Auger or Core Barrel.
- Drill shall be equipped with a power plant and mechanical or hydraulic mechanism capable of exerting a down pressure or crowding force of at least 12,000 pounds.
- Drill shall be equipped with power plant and mechanical mechanism to operate a service hoist for installing piles; the hoist system shall have a lifting capacity of 8,000 pounds and be capable of installing 40-foot piling.
- Drill shall be equipped with two hydraulic outriggers and jacks in the front area and two hydraulic outriggers and jacks in the rear of the drill carrier for fast and efficient leveling purposes. The outriggers are not required on track mounted drills.
- Vendor shall furnish, when requested, Augers, Core Barrels, Rock Cutting Teeth, Muck Bucket and Casing, which are in good condition. Rock Cutting Teeth shall be of the type and quality comparable to the "Kennametal" brand. Vendor shall furnish all water needed for drilling purposes.

3.1.1.3 Vendor Personnel Requirements: All drill projects are to have at least one operator and one helper present during drilling. The operator shall have one year of paid experience with similar equipment on similar types of jobs. The helper shall have six months of paid experience on similar types of jobs. Vendors shall provide, at the time of submitting their bid, at a minimum, the name of one operator and the name of one helper along with their years of experience. This information shall be submitted on the Information Attachment Form. This requirement is for informational purposes and does not dictate the operator and/or helper for a particular District.

3.1.1.4 Workmanship: It is the expectation of the WVDOH that the driller complete each job in the best possible reasonable timeframe while meeting all requirements of the project itself. Reasonable production standards will be based on the type of earth/rock that is being drilled.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

3.1.2 Site Preparation, Stake-out, Hole Size and Pile Installation:

3.1.2.1 Site Preparation: The WVDOH will, in advance of drilling operations, prepare the site for safe and efficient work. This shall be done in collaboration with the Vendor or his authorized representative. The Vendor and the WVDOH will jointly determine that safe working conditions do exist and either party will have the right to refuse to perform work, if, in their opinion, unsafe working conditions exist.

3.1.2.2 Stake-out: The location of holes and piles to be installed shall be directed by the WVDOH Engineer/Manager or his designee. The WVDOH will stake-out all work to be performed.

3.1.2.3 Hole Size: The size and depth of the holes will be governed by the size of the piles. The hole should be no less than two inches (2") greater in diameter than the maximum dimension of the pile to be installed. In conditions where boulders, etc., are encountered, the diameter of the hole may have to be considerably larger than the maximum dimensions of the pile.

3.1.2.4 Pile Installation: The angle of inclination from the vertical and the length of each pile shall be directed by the WVDOH Engineer/Manager or his designee. Piles shall be installed immediately after each hole is drilled, unless otherwise directed by the WVDOH Engineer/Manager or designee. The WVDOH will perform required splicing of piles and pile cut-off. Piles shall be furnished, delivered and positioned on the site by the WVDOH so that they are conveniently available for immediate installation at each hole.

3.1.3 Down Equipment: Equipment shall be considered down if it is out of production due to mechanical failure or other conditions and no pay will be authorized until production is resumed. The WVDOH will not pay the time during fueling, lubrication and warm-up of the unit.

Equipment shall not leak any fluid sufficiently to cause a six inch (6") stain or greater on the road. If the equipment does leak a six inch (6") stain or greater on the road, the WVDOH will shut the equipment down as unsafe until the leak is properly repaired by the Vendor.

The WVDOH reserves the right to shut down operations in the event of SRIC Season or any State of Emergency events.

3.1.4 Mobilization: One time, one way mobilization shall be paid by the WVDOH for moving of said equipment from the contractor's base of operations to the work site and/or from one WVDOH worksite to another,

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

whichever mileage would be of lesser cost to the WVDOH. This will be provided to the Vendor on the Delivery Order. Return of equipment to the contractor's base of operations will not be paid by the WVDOH.

The most direct suitable route from the contractor's base of operations to the work site or between work sites will be agreed upon by the WVDOH and the contractor as mileage for calculation of Mobilization. The most recent 911 address or physical location of the contractor's base of operation must be provided on the Information Attachment Form (post office box address is not adequate).

In-state delivery route mileage will be calculated by the WVDOH from the equipment owner's location of the equipment to the WVDOH job site by utilizing the WVDOH Straight Line Diagrams. These Diagrams for WV Primary Routes and WV Secondary Routes are available in each WVDOH District office and the WVDOH Central Office. The WVDOH will determine the route to be taken due to bridge and/or road restrictions. Out-of-state delivery route mileage will be calculated by the WVDOH utilizing "Google Maps" or a similar source for routing from the equipment owner's location of the equipment to the WV Stateline at which time, the Straight Line Diagrams will be sourced at the WVDOH job site.

4. CONTRACT AWARD:

- 4.1 Contract Award:** The Contract is intended to provide Agencies with a price on all Contract Items. A Contract shall be awarded to all responsible Vendors that provide the Contract Items which meet all required specifications of this contract.
- 4.2 Pricing Pages:** Vendor should submit their bid by providing the proposed equipment information and the price, per District, on the Pricing Pages and the information requested on the Information Attachment Form.

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

If the base of operation is the same for all pieces of equipment proposed on the bid submission, only one Information Attachment Form is required per bid submission.

Vendor shall bid an Operation Rate, single hourly rate, for the drill unit proposed, which shall be full compensation for equipment rental and required operators up to a standard 40 hour work week. The cost of auger and core barrel resurfacing shall be included in the unit price bid.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

For hours beyond 40 hours in a work week, Additional Charge for Overtime, the Vendor shall bid a rate per hour to cover overtime costs of labor only and that amount will be added to the operating rate for all additional operating hours beyond 40 hours.

The Vendor shall provide a per mile rate for Mobilization according to Section 3.1.4 of these specifications.

The Vendor shall quote additional pay items of Casing Pipe and Crane Mats, which may occasionally be requested by the WVDOH Engineer/Manager or his designee. Crane mats will meet minimum industry standard size of 4'x16'x8". Anything smaller will be considered cribbing and will not be paid.

At this time, there is no estimated lease/rental volume available for any item. No future use of the Contract or any individual item is guaranteed or implied.

Vendor should electronically enter the information into the Pricing Pages through wvOASIS, if available, or as an electronic document. In most cases, the Vendor can request an electronic copy of the Pricing Pages for bid purposes by sending an email request to the following address: angie.j.moorman@wv.gov.

4.3 Information Attachment Form:

The Vendor shall provide the Base of Operations as explained in 3.1.4.

The Vendor shall provide the name and years/months of experience of at least one Operator and at least one Helper according to Section 3.1.1.3 on the Information Attachment Form.

A bid submission SHALL include the Pricing Pages AND the Information Attachment Form. Any bid submitted without the Information Attachment Form WILL BE DISQUALIFIED.

- 5. DETERMINING LOW BID PER PROJECT:** To determine the low bid Vendor per project, the WVDOH District Engineer shall issue a Delivery Order to the low bidder based on type and size of equipment required for the project along with the proximity of equipment to the WVDOH job site at the lowest project cost. The projected cost is the estimated hours (Operation Rate) plus Mobilization cost and any additional requests of Casing Pipe and/or Crane Mats.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

6. ORDERING AND PAYMENT:

- 6.1 Ordering:** Vendor shall accept orders through wvOASIS, regular mail, facsimile, e-mail, or any other written forms of communication. Vendor may, but is not required to, accept on-line orders through a secure internet ordering portal/website. If Vendor has the ability to accept on-line orders, it should include in its response a brief description of how Agencies may utilize the on-line ordering system. Vendor shall ensure that its on-line ordering system is properly secured prior to processing Agency orders on-line.
- 6.2 Payment:** Vendor shall accept payment in accordance with the payment procedures of the State of West Virginia. The State of West Virginia currently utilizes a Purchasing Card program, administered under contract by a banking institution, to process payment for goods and services. The Vendor must accept the State of West Virginia's Purchasing Card for payment of all orders under this Contract.

7. DELIVERY AND RETURN:

- 7.1 Delivery Time:** The Vendor must notify the WVDOH District Engineer/Manager within five (5) days after receipt of the Delivery Order of their ability to perform the work requested on the Delivery Order. If the Vendor cannot agree to the work requested, the WVDOH District Engineer/Manager shall have the option to contact the next low bidder and follow the same direction.

Each Delivery Order shall provide the tentative date the project is to begin including the daily start and end time. Work on the project shall be continuous unless approved by the WVDOH District Engineer/Manager.

In the event of an emergency situation, the WVDOH District Engineer/Manager may require notification of a Vendor's ability to perform within 24 hours of their receipt of the Delivery Order.

NOTE: A Vendor's performance on any project may be considered when awarding subsequent Delivery Orders.

- 7.2 Late Delivery:** The Agency placing the Delivery Order under this Contract must be notified in writing if orders will be delayed for any reason. Any delay in delivery that could cause harm to an Agency will be grounds for cancellation of the delayed order, and/or obtaining the items ordered from a third party.

Any Agency seeking to obtain items from a third party under this provision must first obtain approval of the Purchasing Division.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

- 7.3 Delivery Payment/Risk of Loss:** Standard order delivery shall be F.O.B. destination to the Agency's location. Vendor shall include the cost of standard order delivery charges in its bid pricing/discount and is not permitted to charge the Agency separately for such delivery. The Agency will pay delivery charges on all emergency orders provided that Vendor invoices those delivery costs as a separate charge with the original freight bill attached to the invoice.
- 7.4 Return of Unacceptable Items:** If the Agency deems the Contract Items to be unacceptable, the Contract Items shall be returned to Vendor at Vendor's expense and with no restocking charge. Vendor shall either make arrangements for the return within five (5) days of being notified that items are unacceptable, or permit the Agency to arrange for the return and reimburse Agency for delivery expenses. If the original packaging cannot be utilized for the return, Vendor will supply the Agency with appropriate return packaging upon request. All returns of unacceptable items shall be F.O.B. the Agency's location. The returned product shall either be replaced, or the Agency shall receive a full credit or refund for the purchase price, at the Agency's discretion.
- 7.5 Return Due to Agency Error:** Items ordered in error by the Agency will be returned for credit within 30 days of receipt, F.O.B. Vendor's location. Vendor shall not charge a restocking fee if returned products are in a resalable condition. Items shall be deemed to be in a resalable condition if they are unused and in the original packaging. Any restocking fee for items not in a resalable condition shall be the lower of the Vendor's customary restocking fee or 5% of the total invoiced value of the returned items.
- 8. PREVAILING WAGE:** To the extent required by applicable law, Vendor shall be responsible for ensuring compliance with prevailing wage requirements and determining when prevailing wage requirements are applicable.
- 9. VENDOR DEFAULT:**
- 9.1** The following shall be considered a vendor default under this Contract.
- 9.1.1** Failure to provide Contract Items in accordance with the requirements contained herein.
- 9.1.2** Failure to comply with other specifications and requirements contained herein.
- 9.1.3** Failure to comply with any laws, rules, and ordinances applicable to the Contract Services provided under this Contract.

REQUEST FOR QUOTATION
Power Earth and Rock Augers/Drills with Operators

9.1.4 Failure to remedy deficient performance upon request.

9.2 The following remedies shall be available to Agency upon default.

9.2.1 Immediate cancellation of the Contract.

9.2.2 Immediate cancellation of one or more release orders issued under this Contract.

9.2.3 Any other remedies available in law or equity.

10. MISCELLANEOUS:

10.1 No Substitutions: Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.

10.2 Vendor Supply: Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.

10.3 Reports: Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities or items purchased and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.

10.4 Contract Manager: During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract Manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract Manager and his or her contact information below.

Contract Manager: W Ross Lewis
Telephone Number: 740 676 7464
Fax Number: 740 676-4410
Email Address: OWN @ OWNEXCAVATING.COM

Information Attachment Form

Power Earth and Rock Augers/Drills Base of Operation and Personnel Requirement

BASE OF OPERATIONS
(Exact Physical Location)

56461 Ferry Landing Rd
Shadyide Off 43947

PERSONNEL REQUIREMENT

Vendor shall provide the Operator and Helper information requested from Section 3.1.3 of the Contract specifications in the space provided below. This requirement is for informational purposes and does not dictate the operator and/or helper for a particular District.

Name of no less than One Operator:

Richard Hany : Scott Cross

Number of years of experience of Operator:

20 yrs : 22 years

Name of no less than One Helper:

Jeff Lucas : Brent Bibb

Number of months/years of experience of Helper:

12 yrs : 7 yrs

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohio-West Virginia Excavating Co.

**District 1 - Boone County, Clay County, Kanawha
County, Mason County and Putnam County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills**Vendor Name: **Ohio-West Virginia Excavating Co.****District 1 - Boone County, Clay County, Kanawha
County, Mason County and Putnam County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 2 - Cabell County, Lincoln County, Logan County, Mingo County and Wayne County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

District 2 - Cabell County, Lincoln County, Logan County, Mingo County and Wayne County

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 3 - Calhoun County, Jackson County, Pleasants County,
Ritchie County, Roane County, Wirt County and Wood County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	305.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	62.00
MOBILIZATION	Per Mile Rate	28.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	33.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	2,300.00

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohio-West Virginia Excavating Co.

**District 3 - Calhoun County, Jackson County, Pleasants County,
Ritchie County, Roane County, Wirt County and Wood County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	305.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	62.00
MOBILIZATION	Per Mile Rate	28.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	33.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	2,300.00

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohlo-West Virginia Excavating Co.

**District 4 - Doddridge County, Harrison County, Marion County,
Monongalia County, Preston County and Taylor County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	305.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	62.00
MOBILIZATION	Per Mile Rate	28.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	33.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	2,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

**District 4 - Doddridge County, Harrison County, Marion County,
Monongalia County, Preston County and Taylor County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	305.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	62.00
MOBILIZATION	Per Mile Rate	28.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	33.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	2,300.00

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohio-West Virginia Excavating Co.

**District 5 - Berkeley County, Grant County, Hampshire County, Hardy County,
Jefferson County, Mineral County and Morgan County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

District 5 - Berkeley County, Grant County, Hampshire County, Hardy County, Jefferson County, Mineral County and Morgan County

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohio-West Virginia Excavating Co.

**District 6 - Brooke County, Hancock County, Marshall County,
Ohio County, Tyler County and Wetzel County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	255.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	58.00
MOBILIZATION	Per Mile Rate	18.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	28.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	1,600.00

Vendor Name: Ohio-West Virginia Excavating Co.

**District 6 - Brooke County, Hancock County, Marshall County,
Ohio County, Tyler County and Wetzel County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	255.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	58.00
MOBILIZATION	Per Mile Rate	18.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	28.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	1,600.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 7 - Barbour County, Braxton County, Gilmer County,
Lewis County, Upshur County and Webster County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

**District 7 - Barbour County, Braxton County, Gilmer County,
Lewis County, Upshur County and Webster County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 8 - Pendleton County, Pocahontas County,
Randolph County and Tucker County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

**District 8 - Pendleton County, Pocahontas County,
Randolph County and Tucker County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

		Proposed Equipment	
MANUFACTURER		2011 Soilmec	
MODEL NUMBER		SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS			
SERIAL NUMBER		3974	
HOLE DIAMETER		Minimum 18"	Maximum 48"
DEGREE OF ROTATION		360	
SLIDE STROKE		48"	
FOOT POUNDS OF TORQUE		95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE		27,876 LBS	
HOLE DEPTH		90'	
OPERATION RATE (First 40 hours in a work week)		Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)		Per Hour Rate	72.00
MOBILIZATION		Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)		Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)		Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 9 - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Vendor Name: Ohio-West Virginia Excavating Co.

District 9 - Fayette County, Greenbrier County, Monroe County, Nicholas County and Summers County

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page**Power Earth and Rock Augers/Drills****Vendor Name: Ohio-West Virginia Excavating Co.****District 10 - McDowell County, Mercer County,
Raleigh County and Wyoming County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2004 Soilmec	
MODEL NUMBER	R-312 / 200	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	2208	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

Pricing Page

Power Earth and Rock Augers/Drills

Vendor Name: Ohio-West Virginia Excavating Co.

**District 10 - McDowell County, Mercer County,
Raleigh County and Wyoming County**

Per bid submissions, Vendors may bid multiple pieces of equipment by duplicating the Pricing Page to create a separate Pricing Page for each piece of equipment bid, per District.

	Proposed Equipment	
MANUFACTURER	2011 Soilmec	
MODEL NUMBER	SR-30	
EQUIPMENT MODIFICATIONS AND ADDITIONS		
SERIAL NUMBER	3974	
HOLE DIAMETER	Minimum 18"	Maximum 48"
DEGREE OF ROTATION	360	
SLIDE STROKE	48"	
FOOT POUNDS OF TORQUE	95,881 FT/LBS	
DOWN PRESSURE/CROWDING FORCE	27,876 LBS	
HOLE DEPTH	90'	
OPERATION RATE (First 40 hours in a work week)	Per Hour Rate	390.00
ADDITIONAL CHARGE FOR OVERTIME (Hours beyond 40 hours in a work week)	Per Hour Rate	72.00
MOBILIZATION	Per Mile Rate	38.00
CASING PIPE (Used when requested by the Division of Highways Engineer or his designee)	Per Lineal Foot	38.00
CRANE MATS 4'x16'x8" (Used when requested by the Division of Highways Engineer or his designee)	Per Mat, Per Project Site	4,300.00

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

MANDATE: Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

EXCEPTION: The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

DEFINITIONS:

"Debt" means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

"Employer default" means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

"Related party" means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

AFFIRMATION: By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

WITNESS THE FOLLOWING SIGNATURE:

Vendor's Name: Ohio West Virginia Excavating Co.
Authorized Signature: W. Ruge Sen. Date: 5-27-16

State of Ohio

County of Belmont, to-wit:

Taken, subscribed, and sworn to before me this 27th day of May, 2016.

My Commission expires Sept 24, 2016.



JUDITH D CHIMLEY
NOTARY PUBLIC - OHIO
MY COMMISSION EXPIRES 08-24-16

NOTARY PUBLIC Judith P. Chimley

Client#: 1114996

OHIOVIR

ACORD™

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
1/08/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER: USI Ins Svcs C/L Wheeling
2 22nd Street, 2nd Floor
Wheeling, WV 26003
304 232-0600
CONTACT NAME: Susan Boord
PHONE (A/C, Ho, Ext): 304-238-5549
FAX (A/C, No): 866-617-3260
E-MAIL ADDRESS: Susan.Boord@usi.biz
INSURER(S) AFFORDING COVERAGE:
INSURER A: Travelers Indemnity Company of 25682
INSURER B: Travelers Indemnity Company 25658
INSURER C: Travelers Casualty and Surety C 19038
INSURER D: Greenwich Insurance Company 22322
INSURER E:
INSURER F:

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Table with columns: INSR LTR, TYPE OF INSURANCE, ADDL SUBR INSR, WVD, POLICY NUMBER, POLICY EFF (MM/DD/YYYY), POLICY EXP (MM/DD/YYYY), LIMITS. Rows include Commercial General Liability, Automobile Liability, Umbrella Liability, Workers Compensation, Pollution, and Professional liability.

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Purchase Order: Drilling

CERTIFICATE HOLDER: West Virginia Dept of Transp/Div of Highways
Bldg 5, Room A737 - 1900 Kanawha Blvd East
Charleston, WV 25305
CANCELLATION: SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
AUTHORIZED REPRESENTATIVE: [Signature]

Ohio-West Virginia Excavating Co
P.O. Box 128
Powhatan Point, OH 43942

DOT
Finance & Admin.
Bldg. 5, Room A-220

Bid Due: June 1st
Bid For: Power Earth & Rock Augers
ARFD 0803 DOT 11000000016


EXTREME

Please Rush To Al

PLEASE PRESS F



1007



25305

MOONSVILLE, WV
MAIL PERMIT
AMOUNT
\$0.00
R2305M143808-02

Home or office at usps.com/pickup

PLEASE PRESS F



UNITED STATES POSTAL SERVICE

Sealed Bid Envelope

Flat Rate Envelope

Visit us at usps.com

EXTREMELY URGENT

Press Rush To Addressee



PLEASE NOTE:

When used internationally affix customs declarations (PS Form 2976, or 2976A).



EK977445456US



Sealed Bid
ENCL00ed: ARFQ
0803
DOT 1600000014
Angela Norman

RECEIVED

FINANCE DIVISION
DOT

11:20



CUSTOMER USE ONLY
FROM: (PLEASE PRINT)
PHONE ()
Ohio Hwy Virginia County
PO Box 106
Parkersburg WV 26104

PAYMENT BY ACCOUNT (IF APPLICABLE)
DELIVERY OPTIONS (CONTAINER REQUIRED)
 SIGNATURE REQUIRED Note: The mailer must check the "Signature Required" box if the mailer 1) Requires the addressee's signature, OR 2) Purchases additional insurance, OR 3) Purchases COD service, OR 4) Purchases Return Receipt. If not checked, the Postal Service will leave the item in the addressee's mail receptacle or other secure location without attempting to obtain the addressee's signature on delivery.
Delivery Options
 No Saturday Delivery (delivered next business day)
 Sunday/Holiday Delivery Required (additional fee, where available)
 10:30 AM Delivery Required (additional fee, where available)
* Please ID USPS.com or local Post Office for availability.

TO: (PLEASE PRINT)
PHONE ()
Finance Division
1007
1007
1007
P + * (U.S. ADDRESSES ONLY)

For pickup or USPS Tracking™, visit usps.com or call 800-222-1811.
\$100.00 Insurance Included.

PRICING (POSTAL SERVICE USE ONLY)
+Day 2-Day Military DPO
Scheduled Delivery (M/D/YYYY) Postage \$
Date Accepted (M/D/YYYY) Scheduled Delivery Time Insurance Fee \$
10:30 AM 3:00 PM COD Fee \$
12 NOON Return Receipt Fee \$
10:30 AM Delivery Fee \$ Live Airmail Transportation Fee \$
Weight \$ Sunday/Holiday Premium Fee \$ Total Postage & Fees \$
Flat Rate AM PM Acceptance Employee Initials \$
Box size: AM PM Employee Signature
DELIVERY (POSTAL SERVICE USE ONLY)
Delivery Attempt (M/D/YYYY) Time AM PM Employee Signature
Delivery Attempt (M/D/YYYY) Time AM PM Employee Signature
LABEL 11-15, JANUARY 2014 PSN 769002-200-8888

3-ADDRESSEE COPY

This packaging is the property of the U.S. Postal Service and is provided solely for use in sending Priority Mail shipments. Misuse may be a violation of federal law. This packaging is not for resale. EP13F © U.S. Postal Service, October 2012. All rights reserved.